



JEFFERSON COUNTY DRAINAGE DISTRICT NO. 6
Karen J. Stewart, MBA, CTP Business Manager: Purchasing Agent

6550 Walden Rd., Beaumont, Texas 77707 Phone: 409-842-1818 Fax: 409-842-2729

Legal Notice
Advertisement for Invitation for Bids
January 26, 2016

Notice is hereby given that sealed bids will be accepted by Jefferson County Drainage District No. 6 for a (IFB 16-002/KJS) SA Lube Truck, for Jefferson County Drainage District No. 6. Specifications may be obtained from Jefferson County Drainage District No. 6 offices located at 6550 Walden Rd., Beaumont, Texas or, for more information regarding bid documents you may call Paula Anderson at (409) 842-1818. Electronic packets are available upon request to kstewart@dd6.org.

Bids are to be sealed and addressed to Jefferson County Drainage District No. 6 and marked "Administrative Sealed Bid" with "(IFB 16-002/KJS) SA Lube Truck, for Jefferson County Drainage District No. 6" on the outside of the envelope. Bidders shall forward an original and one (1) copy of their bid to the address shown below. The District does not accept bids submitted electronically. Late bids will be rejected as non-responsive. Administrative bids will be publicly opened and read aloud in the Jefferson County Drainage District No. 6 boardroom at the time and date below. Bidders are invited to attend the administrative sealed bid opening.

BID NAME: SA Lube Truck, for Jefferson County Drainage District No. 6
BID NUMBER: IFB 16-002/KJS
DUE DATE/TIME: 2:00 PM, Thursday, February 18, 2016
MAIL OR DELIVER TO: Jefferson County Drainage District No. 6
6550 Walden Rd.
Beaumont, Texas 77707

We look forward to your active participation in this solicitation.

Sincerely,

Karen J. Stewart, MBA, CTP
Business Manager: Purchasing Agent
Jefferson County Drainage District No. 6

Publish: Beaumont Enterprise Wednesday January 27th & February 18th.

IFB 16-002/KJS/KJS
SA Lube Truck, for Jefferson County Drainage District No. 6

Bids due: 2:00 PM, Thursday February 18, 2016

Table of Contents

Return with <u>Bid</u>	<u>Description</u>	<u>Page(s)</u>
	Table of Contents.....	2
	Instructions to Bidders.....	3-7
	Minimum Specifications.....	8-16
X	Offer to Contract Form.....	17
X	Acceptance of Offer Form.....	18
X	Bid Form	19

**BIDDER IS RESPONSIBLE FOR RETURNING ALL REQUIRED PAGES (MARKED WITH AN "X" ABOVE)
WITH THE BID. FAILURE TO RETURN ALL REQUIRED FORMS COULD RESULT IN A BID BEING
DECLARED AS NON-RESPONSIVE.**

Instructions to Bidders

1. Bid Submission

Bids must be submitted in complete original form by mail or messenger to the following address:

Jefferson County Drainage District No. 6
6550 Walden Road
Beaumont, TX 77707

Bids will be accepted at the above address until the time and date specified herein, and immediately after will be publicly opened and read aloud in an administrative bid opening in the District Boardroom.

All bids shall be tightly sealed in an opaque envelope and plainly marked with the Bid Number, Bid Name, Bid Due Date, and the Bidder's Name and Address; and shall be addressed to the Purchasing Agent.

Late bids will not be accepted and will be returned unopened to the bidder.

All bids submitted in response to this invitation shall become the property of Jefferson County Drainage District No. 6 (the District) and will be a matter of public record available for review.

2. Preparation of Bids

The bid shall be legibly printed in ink or typed.

If a unit price or extension already entered is to be altered, it shall be crossed out and initialed in ink by the bidder.

The bid shall be legally signed and shall include the complete address of the bidder.

The District is exempt from Federal and State Sales Taxes, and such taxes shall not be included in bid prices.

3. Signatures

All bids, notifications, claims, and statements must be signed by an individual authorized to bind the bidder. The individual signing certifies, under penalty of perjury, that he or she has the legal authorization to bind the bidder.

4. District Holidays – 2016:

January 1	Friday	New Year's Day
January 18	Monday	Martin Luther King, Jr. Day
February 15	Monday	President's Day
March 25	Friday	Good Friday
May 30	Monday	Memorial Day
July 4	Monday	Independence Day
September 5	Monday	Labor Day
November 11	Wednesday	Veterans Day
November 26-27	Thursday-Friday	Thanksgiving
December 26-27	Monday-Tuesday	Christmas

5. Rejection or Withdrawal

Submission of additional terms, conditions or agreements with the bid document are grounds for deeming a bid non-responsive and may result in bid rejection. The District reserves the right to reject any and all bids and to waive any informalities and minor irregularities or defects in bids. Bids may be withdrawn in person by a bidder or authorized representative, provided their identity is made known and a receipt is signed for the bid, but only if the withdrawal is made prior to the time set for receipt of bids. Bids are an irrevocable offer and may not be withdrawn within 90 days after opening date. At times the District will ask for equipment pricing to be extended for up to one calendar year, but this will be stated specifically in the Bid Form if applicable.

6. Award

The bid will be awarded to the responsible, responsive bidder(s) whose bid, conforming to the solicitation, will be most advantageous to the District— price and other factors considered. Unless otherwise specified in this IFB, the District reserves the right to accept a bid in whole or in part, and to award by item or by group, whichever is deemed to be in the best interest of the District. Any bidder who is in default to the District at the time of submittal of the bid shall have that bid rejected. The District has the right to clarify any contractual terms with the concurrence of the Contractor; however, any substantial nonconformity to specifications in the bid, as determined by (the District), shall be deemed non-responsive and the offer rejected.

In evaluating bids, the District shall consider the qualifications of the bidders, and, where applicable, operating costs, delivery time, maintenance requirements, performance data, and guarantees of materials and equipment. In addition, (the District) may conduct such investigation as it deems necessary to assist in the evaluation of a bid and to establish the responsibility, qualifications, and financial ability of the bidders to fulfill the contract.

7. Contract

A response to an IFB is an offer to contract with the District based upon the terms, conditions, and specifications contained in the IFB. Bids do not become contracts unless and until they are executed by (the District) Board of Director or General Manager, eliminating a formal signing of a separate contract. For that reason, all of the terms and conditions of the contract are contained in the IFB, unless any of the terms and conditions is modified by an IFB Amendment, a Contract Amendment, or by mutually agreed terms and conditions in the contract documents.

8. Waiver of Subrogation

Bidder and bidder's insurance carrier waive any and all rights whatsoever with regard to subrogation against Jefferson County Drainage District No. 6 as an indirect party to any suit arising out of personal or property damages resulting from bidder's performance under this agreement.

9. Fiscal Funding

A multi-year contract (if requested by the specifications) continuing as a result of an extension option must include fiscal funding out. If, for any reason, funds are not appropriated to continue the contract, said contract shall become null and void.

10. Bid Results

Bid results are not provided in response to telephone inquiries. A preliminary tabulation of bids received will be upon available request to kstewart@dd6.org as soon as possible following bid opening. A final tabulation will be available following bid award, and will also be available for review at 6550 Walden Rd., Beaumont, Texas 77707.

11. Changes and Addenda to Bid Documents

Each change or addendum issued in relation to this IFB document will be on file at 6550 Walden Rd, Beaumont, Texas 77707, as soon as possible. It shall be the bidder's responsibility to make inquiry as to change or addenda issued. All such changes or addenda shall become part of the contract and all bidders shall be bound by such addenda. Information on all changes or addenda issued will be available at 6550 Walden Rd, Beaumont, Texas 77707.

12. Specifications

Unless otherwise stated by the bidder, the bid will be considered as being in accordance with Jefferson County Drainage District No. 6's applicable standard specifications, and any special specifications outlined in the bid document. References to a particular trade name, manufacturer's catalogue, or model number are made for descriptive purposes to guide the bidder in interpreting the requirements of (the District), and should not be construed as excluding bids on other types of materials, equipment, and supplies. However, the bidder, if awarded a contract, will be required to furnish the particular item referred to in the specifications or description unless departure or substitution is clearly noted and described in the bid. The District reserves the right to determine if equipment/ product being bid is an acceptable alternate. All goods shall be new unless otherwise so stated in the bid. Any unsolicited alternate bid, or any changes, insertions, or omissions to the terms and conditions, specifications, or any other requirements of the bid, may be considered non-responsive.

13. Delivery

Bids shall include all charges for delivery, packing, crating, containers, etc. Unless otherwise stated by the bidder (in writing on the included Bid Form), prices bid will be considered as being based on F.O.B. destination/delivered freight included.

14. Interpretation of Bid and/or Contract Documents

All inquiries shall be made within a reasonable time prior to the date and time fixed for the bid opening, in order that a written response in the form of an addendum, if required, can be processed before the bids are opened. Inquiries received that are not made in a timely fashion may or may not be considered.

15. Currency

Prices calculated by the bidder shall be stated in U.S. dollars.

16. Pricing

Prices shall be stated in units of quantity specified in the bid documents. In case of discrepancy in computing the amount of the bid, the unit price shall govern.

17. Notice to Proceed/Purchase Order

The successful bidder may not commence work under this contract until authorized to do so by written Notice to Proceed or Purchase Order.

18. Certification

By signing the offer section of the Offer and Acceptance page, bidder certifies:

- The submission of the offer did not involve collusion or other anti-competitive practices.
- The bidder has not given, offered to give, nor intends to give at any time hereafter, any economic opportunity, future employment, gift, loan, gratuity, special discount, trip, favor, or service to any public servant in connection with the submitted offer.
- The bidder hereby certifies that the individual signing the bid is an authorized agent for the bidder and has the authority to bind the bidder to the contract.

19. Definitions

"The District" – Jefferson County Drainage District No. 6, Texas.

"Contractor" – The bidder whose proposal is accepted by Jefferson County Drainage District No. 6.

20. State Auditor Clause

By executing this bid, the bidder, if awarded a contract, accepts the authority of the State Auditor's Office, under direction of the legislative audit committee, to conduct audits and investigations in connection with any and all state funds received pursuant to a contract. The successful bidder or any of its subcontractors shall comply with and cooperate in any such investigation or audit. The successful bidder agrees to provide the State Auditor with access to any information the State Auditor considers relevant to the investigation or audit. The successful bidder also agrees to include a provision in any subcontract related to this bid that requires the subcontractor to submit to audits and investigation by the State Auditor's Office in connection with any and all state funds received pursuant to the bid and or contract, if an award is made to the bidder.

21. Financial Records

The successful bidder and its subcontracted parties shall maintain satisfactory financial accounting documents and records, including copies of invoices and receipts, and shall make them available for examination and audit by the State, or Jefferson County Drainage District No. 6. Accounting by successful bidder and its subcontracted parties shall be in a manner consistent with generally accepted accounting principles.

22. No Debt Against the State

Any contract issued as a result of this bid is in agreement and shall not be construed as creating any debt by or on behalf of the State of Texas, and all obligations of the State of Texas are subject to the availability of funds. The validity or construction of any Agreement resulting from this bid, as well as the rights and duties of the parties herein under, shall be governed by the laws of the State of Texas, in Jefferson County.

23. Payments

After an award of bid, bidder will submit all billings to the District with proper documentation. Providing the invoicing has been received with correct format within 5 working days before the next regularly scheduled Board of Directors meeting, held twice monthly, the payment will be processed and mailed within 3 business days after each board meeting

24. General Insurance Requirements

I. Commercial General Liability Limits:

Each Occurrence	\$1,000,000
Fire Damage to Rented Premises	\$ 100,000
Medical Expenses	\$ 5,000
Personal & Adv. Injury	\$1,000,000
General Aggregate	\$2,000,000
Products-Comp/Ops Aggregate	\$2,000,000

II. Auto Liability Limits:

Combined Single Limits for Owned, Hired & Non-Owned	\$1,000,000
--	-------------

III. Umbrella Liability Limits:

Each Occurrence	\$1,000,000
Aggregate	\$1,000,000

IV. Worker's Compensation Limits:

Workers' Compensation	Statutory
Employer's Liability	\$ 500,000/500,000/500,000

Prior to commencement of work, Vendor shall furnish ACORD 25 (2010/05) certificates verifying coverage and limits outlined above and other provision set forth below. Such insurance shall be provided by carriers rated by AM Best & Company and deemed acceptable by the District.

Certificates shall document Waiver of Subrogation provisions in favor of the District on Commercial General Liability, Auto Liability, Umbrella Liability, and Workers Compensation policies.

Certificates shall document Additional Insured provisions in favor of the District on Commercial General Liability, Auto Liability, and Umbrella Liability policies.

Companies furnishing Temporary Personnel shall amend their Workers Compensation policy to include Alternate Employer Endorsement (Texas -- WC 000301) naming Jefferson County Drainage District No. 6.

Certificates shall document reasonable cancellation provisions to protect the interests of the District.

Coverage and Limits set forth above are minimum requirements and may be adjusted by the District to include higher limits and other coverage such as Professional Liability, Pollution Liability, USL&H, Jones Act, and Protection & Indemnity.

Please direct Certificates of Insurance to the attention of Paula Anderson, Administrative Assistant for approval and further handling.

Paula Anderson
Administrative Assistant
Jefferson County Drainage District No. 6
6550 Walden Rd. / P.O. Box 20078
Beaumont, Texas 77720-0078
E-mail: pkanderson@dd6.org
Phone: (409) 842-1818

Minimum Specifications

The following requirements and specifications supersede General Requirements where applicable. Contact Karen J. Stewart, Business Manager: Purchasing Agent

(e-mail) kstewart@dd6.org, Phone: 409-842-1818, regarding any questions or comments. Please reference bid number (IFB 16-002/KJS).

Objective

The Purchasing Department will receive sealed bids for the supply and delivery of one (1) SA Lube Truck, in accordance with the terms and conditions of this specification.

The Awardee shall provide all equipment, fuel, labor, materials, transportation, trucks, vehicles, and any/all other services necessary for the supply and delivery of SA Lube Truck, in accordance with the terms and conditions of this specification. Additionally, the Awardee will provide products of the highest and best quality that are competitively priced and delivered in a timely manner.

SPECIFICATIONS ARE AS FOLLOWS:

All of the following specifications should be considered minimums.

Cab Chassis Specifications

- Latest model conventional cab single axle cab/chassis, painted factory standard white.
- Axle ratings 10,000 lb. front / 21,000 lb. rear
- 4X4 factory conversion
- 10,000 lb rated multi-leaf front suspension.
- 21,000 lb rated Air Ride rear suspension
- 90" cab to center of rear axle length
- Power train Specifications:
 - PACCAR 6.7 liter diesel engine rated at 300 horsepower at 2600 RPM
 - Spin on oil and fuel filters
 - Fuel water/water separator with heated bowl and primer pump
 - Electronic engine shutdown protection system
 - C-brake by Jacobs with high/low braking dash switch
 - Air compressor with governor - Curb side vertical exhaust pipe with turn out
 - DEF after treatment system with standard diesel exhaust fluid tank. (Location to accommodate the body builder)
- 1,000 watt /115 volt block heater with chrome engine heater receptacle
- Allison 2500 automatic transmission with power take off (PTO) provision
- Minimum of 160 amp alternator
- Driver operated rear locking differential
- Air brake system with ABS, automatic slack adjusters and air dryer system
- Chrome steel front bumper with frame mounted tow hooks
- Clear frame rails from back of the cab to front of rear suspension.
- Left side mounted polished aluminum fuel tank with a minimum of 50 gallon capacity

- Polished Aluminum hub piloted wheels 22.5 x 8.25 - 11Rr22.5 G296 MSA 18 ply tires: All position steer tires and on/off road rear tires, Goodyear/Michelin /Bridgestone tire are acceptable

Conventional Cab Equipment:

- Factory standard with white paint - Charcoal or gray vinyl bucket seats (drivers side to be a high back air seat; passenger high back fixed seat)
- No center console - 2 cup holders
- Rubber flooring with insulation
- 3 - Variable speed heater/defroster/air conditioning
- 2 West coast style heated and power adjustable stainless chrome exterior mirrors approximately 7 ½ x16 ½ inches
- 2 auxiliary 8 "convex stainless steel mirrors mounted below the primary mirrors
- Power steering with adjustable tilt and telescoping steering wheel
- AM/FM Bluetooth radio
- Gauge package to include: All standard gauges with the following, speedometer, tachometer, oil pressure, coolant temperature, transmission temperature

Lube Body Specifications:

- This unit will be an open-deck style lube body with; - Air Driven system, reel compartment, storage compartments, reciprocating air compressor, grease pump and product tanks. All vendors submitting bids for this lube body must include detailed shop drawings. The shop drawing should include overhead, side and rear drawings showing: tank placement, storage compartments and frame configuration. Also included with shop drawing the vendor must submit a list of equipment to be used in its construction (air system components, hose reels brand, oil dispensers, air compressor, product pumps).
- Body Frame: - The frame must be a minimum of 120,000 PSI structural channel and 6" cross members 12" on center. The structural side rails must be a minimum 6" tubing. All structural components shall be Laser Cut as opposed to Plasma Torch.

Lube Bed Drawings:

- Please find enclosed with the bid specifications a general drawing showing approximate location and dimensions of tanks, compartments and most of the required equipment. This drawing is for informational purposes only and not to be considered to be exact. Storage Compartments: - There will be a total of four storage compartments. All compartments must be an integral part of the lube body. See Attachment A, "Lube Bed Drawings" for approximate locations and, dimensions. Compartments will be constructed of 10 gauge steel, with built in underside reinforcing. All compartments over 30" wide will have two doors meeting in the center. The narrower compartments will have a single door. The doors must have an inset design, constructed of 3/16" aluminum, with reinforced vertical stainless steel hinges and metal backed weather stripping (no stick on type weather stripping). All doors will have gas spring door holders to keep door in the full open position when needed. All doors will be keyed alike with three point door latches and Tee or D-ring handles.
- Located directly behind the cab below the oil storage tanks on both drivers and passenger side will be two under deck compartments approximately (46"wide x25 tall x23" deep. The driver's side compartment will have one hard mounted fire extinguisher (#1) and a used filter storage box in compartment #2 This bin must be connected to the waste oil collection system so waste oil can be evacuated directly from the compartment into the waste oil tank. The passenger side boxes shall have aluminum tool drawer pack consisting of one 5" drawer and two 3" drawers, all drawers shall be keyed alike and will be equipped with heavy duty ball bearing rollers and slam locks. Each individual

drawer must have a 500 lb. capacity rating. The second compartment shall have an aluminum 18 drawer bolt bin. Located directly behind the driver's side cab will be two horizontal storage compartments (D1 and D2) Passenger side shall have integrated folding ladder and reinforced open area (P-3) with secure mounting brackets for 120 lb. grease barrel and air operated grease pump; Lincoln brand air regulator, or approved equal. There will also be two (2) grab handles on either side of the step opening. The reel compartment will be mounted across the rear of the lube body.

- This compartment will be approximately 70" wide x 80" tall x 34" deep. It will extend 49" above the deck 6" through the deck.
- This compartment will contain all product pumps, controls and spring rewind reels as specified. (Hannay brand reels, or approved equal).
- Please include information as to the location of all the reels, product pumps and controls in this compartment.
- There will be a master control panel located in the reel compartment. This control panel will have an master on/off switch that shuts down the entire panel, and an engine start/stop switch and switches for all lights. All lights will be wired through this master control panel to ensure no lights will be left turned on when the master is not running.
- The reel compartment will be accessed through a full width aluminum rear roll-up door with a lockable Tee handle. (Keyed the same as other storage compartments)..
- There will be a 12" wide rear step bumper tied directly to the truck frame. The top of the bumper will have a grip strut surface with a removable vice mount on the curb-side and two cable type bolt-on steps on either side.

Air Driven System:

- This lube body will be equipped with a Air Driven (must Include Hydraulically Driven Vanair RC40 Reciprocating Air Compressor or equivalent) system for the operation of the product pumps. This Compressor will be PTO (power take-off) driven. The vendor will be responsible for providing and installing a PTO on the cab chassis' automatic transmission to operate the hydraulic system. 2. Controls for this PTO will be located in the cab and included a warning light showing when it is engaged. The hydraulic system will consist of a pump and reservoir. The pump will have adequate displacement to operate all systems as specified. This Air system will pump up to five gallons per minute for new oil, and eight gallons per minute for used oil. This system will be mounted in a serviceable location with a air storage reservoir large enough for efficient operation of all product pumps and the air compressor. The system will also include filter with a restriction gauge, suction strainer, filler screen, and oil sight gauge, all necessary hoses there will be an electric speed control incorporated into the system to engage when activated on the lube control panel or automatically with the air compressor. All hydraulic fittings will be O-ring type, where possible, and all hoses will be double braided. Please show in your shop drawings the location of the hydraulic system and the hydraulic reservoir tank. Air compressor: - This lube body will be equipped with a reciprocating air compressor. The compressor will be operated through the load sensing hydraulic system. The compressor will produce a minimum of 40 CFM (cubic feet per minute) of continuous air at 150 PSI (pounds per square inch) of air pressure, with a minimum of 19-gallon air tank.
- The air compressor will be located in a serviceable location on the deck. This compressor will be equipped with a check- valve in the line, a combination filter-lubricator-regulator and all other safety valves normally installed in this type of equipment. This compressor tank will be connected to the hose reel located in the reel compartment. Please show in your shop drawings the location of the air compressor and the storage tank. Tanks, Pumps, and Reel Specifications: All tanks are to meet current D.O.T. regulations for this type of equipment and be mounted to prevent cracking and or leaking when the truck flexes.

There will be a total of 8 (eight) steel product tanks. Tank sizes include:

- 1 (one) 250 gallon waste oil tank
- 1 (one) 150 gallon Hyd Oil ,
- 2 (two) 60 gallon new oil tanks
- 2 (two) 30 gallon new oil tanks
- 1 (one) 60 gallon DEF fluid
- 1 (one) 60 gallon ANTI-FREEZE
- **All tanks must be steel (Except):**
- All tanks and reels will be labeled with a stamped or engraved metal tag showing product in tank and tank capacity. - All tanks will be made of steel with lap joints on all weldments (no corner seams), unless otherwise indicated. - Tank accessories to include: sight gauges, metal stick gauges, lockable fill caps, fill screens and spill collectors under tank fills. - A grip strut step will be mounted on the deck to assist the operator in filling the tanks. See suggested location on drawings. - All products will be dispensed with air driven product pumps rated at 3-5 gallons per minute capacity, unless otherwise indicated. - The 250 gallon waste oil tank will be equipped with a heavy duty reversible hydraulic evacuation pump (8-10 gallon per minute capacity) and a two way valve. All of the hydraulic pumps will be mounted in the reel compartment. There will be a bank of new oil filters on the pressure side of the product pumps. These filters must be of a micron rating compatible with the product pumped. No filter is required for the DEF product. Oil products will gravity feed from the tanks to the product pumps, through the bank of new oil filters thru hose reels and dispensers - There will be a total of ten (10) heavy duty spring rewind reels mounted in the reel compartment. (Hannay brand or approved equal). Seven of the reels will be for oil products as follows; • DEF (exhaust fluid) • Waste oil collection • Grease •
- 15w40 • Hydraulic oil - The seven (7) oil product dispensing reels will connect to the oil product tanks and have ½" x 50 feet of heavy duty hose compatible with oil products. All products will be measured in quarts. The 15w-40, hydraulic and the TDO dispensers will be Graco model 258694 (electronic preset dispense meters (or approved equal). The 0w-20 and the spare dispenser will be Graco model 258693 electronic manual dispense meters (or approved equal). - One waste oil reel will have 50 feet of 1 heavy duty suction hose with a suction screen and 1" female cam-lock fitting on the end.
- One reel will connect to the DEF tank. All equipment supplied for this reel must be compatible with DEF and have minimum of a ½" x 50 feet of heavy duty hose, an in line meter and heavy duty dispenser head (OPW model 21GU with swivel or approved equal) - One reel will connect to the air compressor tank and have 1/2" x 50 feet of heavy duty hose air hose with a C2 AMFLO brand female quick disconnect fitting on the end. - One reel for grease will have 3/8" x 50 feet of heavy duty hose compatible for grease. There will be a quick connect fitting to 120 lb keg Graco model 225014 with air regulator, or approved equal. - All reel hoses will have ball stops to keep dispensers from hitting the reel. 7 Lighting: - All compartments except for the used oil filter compartment will have one 12 volt 24" LED lighting fixture with a central master control panel for all lights
- The reel compartment will have two (2) 12-volt 24" LED strip lights suitable for night use; Maxxima brand or approved equal. - There will be six (6) 12-volt 4" exterior LED flood lights. Suitable lights include Ecco brand model E92006, with a minimum of 1,000 lumens, or approved equal. Two of the lights will be mounted on the front of the reel compartment, facing the deck, two on the rear of the reel compartment, facing out and one each on either side, facing out. - There will be 2 (two) flashing amber LED strobe lights (Whelen X609 or approved equal); two mounted in the upper corners of the cab grill and two mounted in the upper corners of the reel compartment. - The master control panel located in the reel compartment will have switches for all lightning (compartment lights, exterior lights and strobe lights). All lights will be wired through this master control panel to ensure no lights will be left turned on when the master is not running. - Lube body will have LED stop/turn/ tail lights,

clearance lights, backup lights, reflectors and hazard placards required for this type of equipment. Finished truck must meet all I.C.C. (International Cofo Council), D.O.T (Department of Transportation) and state of Texas requirements safety and lighting requirements. - Painting: The unit will be chemically cleaned, primed and painted with body manufacture's standard white paint to match as closely as possible the OEM (Original Equipment Manufacturer) white color of the cab/chassis. The unit will be undercoated to retard rust and corrosion. - Miscellaneous: All pump, tanks and reels are to be labeled indicating product type/function. All the tanks will be labeled with their capacity. - All hoses will have permanently crimped-on fittings. All hoses will be routed under the body where possible. - A bracket for 2 (two) standard 10 lb ABC fire extinguisher will be mounted in the rear of the lube body in an easily accessible location.

- 1 (one) 60 gallon pressure washer tank (Poly)
- 2000 Watt Inverter
- Filter Crusher


BRAND REFERENCE

REFERENCES TO A MANUFACTURER'S PRODUCT BY BRAND NAME OR NUMBER ARE DONE SOLELY TO ESTABLISH THE MINIMUM QUALITY AND PERFORMANCE CHARACTERISTICS REQUIRED. BIDDERS MAY SUBMIT BIDS ON ALTERNATES, BUT MUST ATTACH TWO (2) COPIES OF MANUFACTURER SPECIFICATIONS FOR ANY ALTERNATE AT THE TIME OF THE BID. FURTHER THE BIDDER MUST DEMONSTRATE THAT THE ALTERNATE PROPOSED HAS A SUFFICIENT OPERATING TRACK RECORD TO SHOW THE EQUIPMENT WILL PERFORM PER THE SPECIFIED BRAND. THE ACCEPTANCE OF A BIDDER'S ALTERNATE RESTS SOLELY WITH JEFFERSON COUNTY DRAINAGE DISTRICT 6.

NOTE:
ALL DIMENSIONS ARE IN INCHES

SIZE	NUMBER	REV.
	800-21210	1

REVISIONS			
REV	DESCRIPTION	DATE	BY



APPROVAL PRINT STAMP

- APPROVED
- APPROVED AS NOTED
- NOT APPROVED, CHANGE AS NOTED, RESUBMIT FOR APPROVAL.

DATE: _____


BY: _____

SA LUBE TRUCK	DRAWN	DAVID WEINMANN	CHECKED						
1 OF 4	DATE	11/23/2015	APPROVED						
NOTICE: THIS DRAWING CONTAINS INFORMATION IN CONFIDENCE AND IS TO BE USED SOLELY FOR THE PURPOSES FOR WHICH IT WAS REQUESTED. THIS DRAWING AND SUCH INFORMATION IS NOT TO BE DISCLOSED, OR USED OTHERWISE IN WHOLE OR IN PART WITHOUT WRITTEN AUTHORIZATION.				TOLERANCES UNLESS NOTED: DECIMAL _____ ± .03 ANGLES _____ ± .015 MACHINED SURFACES _____ 129/		TITLE: SUMMIT TRUCK EQUIPMENT JEFFERSON COUNTY SA LUBE TRUCK			
DO NOT SCALE THIS PRINT REMOVE ALL BURRS AND SHARP EDGES				SCALE	WEIGHT	SIZE	NUMBER	REV.	
				--		A	800-21510	A	

990 VERNON RD.
WATHENA, KS, 66090
PHONE: (785) 989-3100
FAX: (785) 989-3963

SIZE	NUMBER	REV.
	800-21510	1

REVISIONS		
REV	DESCRIPTION	DATE BY




CURBSIDE

SA LUBE TRUCK		DRAWN: DAVID WEINMANN		CHECKED:	
PAGE 2 OF 4		DATE: 11/23/2015		APPROVED:	
NOTICE: THIS DRAWING CONTAINS INFORMATION THAT IS SUBMITTED IN CONFIDENCE AND IS TO BE USED SOLELY FOR THE PURPOSES FOR WHICH IT WAS REQUESTED. THIS DRAWING AND SUCH INFORMATION IS NOT TO BE DISCLOSED, OR USED OTHERWISE IN WHOLE OR IN PART WITHOUT WRITTEN AUTHORIZATION.					
TOLERANCES UNLESS NOTED:					
DECIMAL	± .03		ANGLES	± 1°	
MACHINED SURFACES	12g/		DO NOT SCALE THIS PRINT		
REMOVE ALL BURRS AND SHARP EDGES					
990 VERNON RD., WATHENLA, KS, 66090 PHONE: (785) 980-3100 FAX: (785) 980-3963					
TITLE: JEFFERSON COUNTY SA LUBE TRUCK					
SCALE	WEIGHT	SIZE	NUMBER	REV.	
--	A	800-21510	A		

SIZE	NUMBER	REV.
-	800-21510	1

REVISIONS		
REV	DESCRIPTION	DATE BY




TOP VIEW

SA LUBE TRUCK	DRAWN DAVID WEINMANN	CHECKED			
PAGE 3 OF 4	DATE 11/23/2015	APPROVED	990 VERNON RD. WATHENA, KS. 66090 PHONE: (785) 980-3100 FAX: (785) 980-3963		
NOTICE: THIS DRAWING CONTAINS INFORMATION THAT IS SUBMITTED IN CONFIDENCE AND IS TO BE USED SOLELY FOR THE PURPOSES FOR WHICH IT IS REQUESTED. THIS DRAWING AND SUCH INFORMATION IS NOT TO BE DISCLOSED OR USED OTHERWISE IN WHOLE OR IN PART WITHOUT WRITTEN AUTHORIZATION.			TOLERANCES UNLESS NOTED: DECIMAL----- ± .03 ANGLES----- ± .015 MACHINED SURFACES 12g/		
DO NOT SCALE THIS PRINT REMOVE ALL BURS AND SHARP EDGES			SCALE	WEIGHT	SIZE
TITLE: JEFFERSON COUNTY SA LUBE TRUCK			---	A	800-21510
TITLE: SA LUBE TRUCK			---	A	800-21510

SIZE	NUMBER	REV.
	800-21510	1

REVISIONS		
REV	DESCRIPTION	DATE BY



REAR VIEW

SA LUBE TRUCK		DRAWN: DAVID WEINMANN		CHECKED:	
4 OF 4		DATE: 11/23/2015		APPROVED:	
NOTICE: THIS DRAWING CONTAINS INFORMATION THAT IS SUBMITTED IN CONFIDENCE AND IS TO BE USED SOLELY FOR THE PURPOSES FOR WHICH IT IS REQUESTED. THIS DRAWING AND SUCH INFORMATION IS NOT TO BE DISCLOSED, OR USED OTHERWISE IN WHOLE OR IN PART WITHOUT WRITTEN AUTHORIZATION.					
TOLERANCES UNLESS NOTED: DECIMAL----- ± .03 ANGLES----- ± .015 MACHINED SURFACES 12g/					
DO NOT SCALE THIS PRINT REMOVE ALL BURRS AND SHARP EDGES					
SUMMIT TRUCK EQUIPMENT JEFFERSON COUNTY SA LUBE TRUCK 990 VERNON RD. WATHENIA, KS. 66090 PHONE: (785) 980-3100 FAX: (785) 980-3963					
SCALE	WEIGHT	SIZE	NUMBER	REV.	
--	A	800-21510	A		

**OFFER AND ACCEPTANCE FORM
OFFER TO CONTRACT**

**(IFB 16-002/KJS)
SA Lube Truck**

To Jefferson County Drainage District No. 6:

We hereby offer and agree to furnish the SA Lube Truck in compliance with all terms, conditions, specifications, and amendments in the Invitation for Bid and any written exceptions in the offer. We understand that the items in this Invitation for Bid, including, but not limited to, all required certificates are fully incorporated herein as a material and necessary part of the contract.

The undersigned hereby states, under penalty of perjury, that all information provided is true, accurate, and complete, and states that he/she has the authority to submit this bid, which will result in a binding contract if accepted by Jefferson County Drainage District No. 6.

We acknowledge receipt of the following amendment(s): _____, _____, _____, _____.

I certify, under penalty of perjury, that I have the legal authorization to bind the firm here- under:

For clarification of this offer, contact:

Company Name

Address			Name	
City	State	Zip	Phone	Fax
Signature of Person Authorized to Sign			E-mail	
Printed Name and Title				

REFERENCES TO A MANUFACTURER'S PRODUCT BY BRAND NAME OR NUMBER ARE DONE SOLELY TO ESTABLISH THE MINIMUM QUALITY AND PERFORMANCE CHARACTERISTICS REQUIRED. BIDDERS MAY SUBMIT BIDS ON ALTERNATES, BUT MUST ATTACH TWO (2) COPIES OF MANUFACTURER SPECIFICATIONS FOR ANY ALTERNATE AT THE TIME OF THE BID. FURTHER THE BIDDER MUST DEMONSTRATE THAT THE ALTERNATE PROPOSED HAS A SUFFICIENT OPERATING TRACK RECORD TO SHOW THE EQUIPMENT WILL PERFORM PER THE SPECIFIED BRAND. THE ACCEPTANCE OF A BIDDER'S ALTERNATE RESTS SOLELY WITH JEFFERSON COUNTY DRAINAGE DISTRICT 6.

Bidder Shall Return Completed Form with Offer.

**Acceptance of Offer
(IFB 16-002/KJS)
SA LUBE TRUCK**

The Offer is hereby accepted for the following items: SA Lube Truck as shown on the bid tab.

The Contractor is now bound to sell the materials listed based upon the Invitation for Bid, including all terms, conditions, specifications, amendments, etc., and the Contractor's Offer as accepted by Jefferson County Drainage District No. 6.

This contract shall henceforth be referred to as Contract No. (16-002/KJS), SA Lube Truck. The Contractor has not been authorized to commence any billable work or to provide any material or service under this contract until Contractor receives a purchase order and/or a notice to proceed from the Jefferson County Drainage District No. 6 Purchasing Agent.

Countersigned:

Joshua W. Allen, Sr., President, Board of Directors
Jefferson County Drainage District No. 6

Date

BIDDER MUST RETURN THIS PAGE WITH OFFER

BID SHEET
(IFB 16-002/KJS)
SA LUBE TRUCK

Opening at 2:00 PM on Thursday, February 18, 2016

Line Item	Description	Quantity	Lump Sum Bid
1	SA Lube Truck	1	

If your Company offers any discount for payment in under 30 days, please state the percentage discount and the number of days for payment at the discounted rate

Discount on Payment _____ % Net _____ Days
 Estimated Delivery Time Per Order _____
 Manufacturer Bid _____

Company Submitting Bid:

Name:

Address: _____

City, State: _____

Contact Numbers: _____

Officer's Signature: _____ Date: _____

 Printed Name

Acknowledgment of Addenda (if any):

Addendum 1 _____ Date Received _____

Addendum 2 _____ Date Received _____

Addendum 3 _____ Date Received _____

BIDDER MUST RETURN THIS PAGE WITH OFFER